

SUPPLEMENT TO

The Gazette



of India

No. 16]

NEW DELHI, SATURDAY, MAY 9, 1959/VAISAKHA 19, 1881

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th April, 1959

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Andhra Pradesh						Delhi					
"N. R."						Delhi city					
Assam						Delhi Civil Lines Zone					
TOTAL						TOTAL					
Total for w/e 4-4-59						Total for w/e 4-4-59					
Total for w/e 28-3-59						Total for w/e 28-3-59					
Bihar						Himachal Pradesh					
Gaya						Mahasu					
Monghyr						TOTAL					
Purnea						Total for w/e 4-4-59					
Hazaribagh						Total for w/e 28-3-59					
Ranchi						Kerala					
Dhanbad						"N.R."					
Singhbhum						Madhya Pradesh					
TOTAL						"N.R."					
Total for w/e 4-4-59						Madras					
Total for w/e 28-3-59						Madras city					
Bombay						Chingleput					
Greater Bombay						South Arcot					
Ahmedabad						Tiruchirappalli					
Amreli						Tanjore					
Ahmednagar						Madurai					
East Khandesh						North Arcot					
Nasik						Salem					
Poona						Coimbatore					
Sholapur						Nilgiris					
West Khandesh						TOTAL					
Chanda						Total for w/e 4-4-59					
TOTAL						Total for w/e 28-3-59					
Total for w/e 4-4-59						Manipur					
Total for w/e 28-3-59						TOTAL					
						Total for w/e 4-4-59					
						Total for w/e 28-3-59					

Explanation of Symbols used :—C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th April, 1959

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Mysore								Uttar Pradesh															
Bangalore	11	2	Allahabad	9	4	.	..						
Chikmagalur	5	Aligarh	2	1						
Kolar	5	2	..	.	Azamgarh	2						
Mandya	4	Barilly	69	39	.	..						
Mysore	3	1	Ballia	2						
Belary	4	Dehra Dun	2	1	.	..						
Belgaum	9	Deoria	20	10						
Dharwar	20	1	Faizabad	5						
South Kanara	18	1	Garhwal	9	3						
TOTAL	79	7	Gorakhpur	1						
Total for w/e 4-4-59			104	33	Hardoi	4						
Total for w/e 28-3-59			61	10	Kanpur	1	1						
Orissa								Lucknow	10	1							
Cuttack	1	1	Mainpuri	5						
Puri	11	1	Mirzapur	7	1						
Balasore	7	Moradabad	3	1						
Garjam	3	2	Muzaffarnagar	5	1						
Koraput	25	7	Naini Tal	1						
Sambalpur	60	12	Pilibhit	2	1						
Dhenkanal	1	1	Sitapur	1						
Sundergarh	36	2	Sultanpur	2						
Bolangir	51	2	Unnao	1						
Khondmals	8	1	Varanasi	2	2						
Mayurbhanj	3	1	TOTAL	.	.	.	6	..	163	69					
Kalahandi	67	12	Total for w/e 4-4-59	4	101	43						
TOTAL	273	42	Total for w/e 14-2-59	98	34						
Pondicherry								West Bengal								"N. R."							
TOTAL	12	10	Total for India (Excluding Andhra Pradesh, Kerala, Madhya Pradesh, Rajasthan, Tripura and West Bengal)								6	..	956	229	
Total for w/e 4-4-59			3	3	Corresponding total for w/e 4-4-59								39	9	976	217	
Total for w/e 28-3-59			8	5	Corresponding total for w/e 28-3-59								3	1	887	235	
Punjab								ARREAR INFORMATION															
Hissar								Andhra Pradesh															
Rohiak								w/e 4-4-59															
Ferozpur								Srikakulam															
TOTAL								Visakhapatnam															
Total for w/e 4-4-59								East Godavari															
Total for w/e 28-3-59								West Godavari															
Rajasthan								Krishna															
"N.R."								Guntur															
Tripura								Nellore															
"N.R."								Kurnool															
								Cuddapah															
								Anantapur															

Explanation of Symbols used : C.=Cases; D.=Deaths; ..=Nil, "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th April, 1959—*contd.*

CHOLERA								SMALLPOX								PLAGUE								
C.				D.				C.				D.				C.				D.				
Andhra Pradesh—contd.								Madhya Pradesh—contd.																
Chittoor					9	3	..	Sagar					1								
Nalgonda					2	4	..	Surguja					3								
Hyderabad					2	1	..	Raigarh					33								
TOTAL			29	13	209	52	..	TOTAL					92	2								
Delhi								w/c 21-3-59																
w/c 4-4-59								Raigarh					63	11								
Delhi City					11	Chindwara					108	28								
New Delhi					1	Seoni					9								
Delhi Civil Lines Zone	3	..	Balaghat					5								
TOTAL					12	3	..	Surguja					4	2								
Mysore								Bilaspur					26	12								
w/c 21-3-59								TOTAL					215	53								
Bangalore					4	1	..	w/c 28-3-59																
Chikmagalur					14	2	..	Seoni					4								
Kolar					2	Raigarh				15	6	52	7							
Mysore					28	3	..	Chindwara					50	13								
Simoga					2	1	..	Surguja					26	2								
Raichur					29	6	..	Balaghat					31	1								
Bijapur					3	TOTAL				15	6	163	23							
Dharwar					22	8	..	w/c 4-4-59																
South Kanara					5	1	..	Chindwara					73	8								
TOTAL					109	22	..	Narsinghpnr					9								
w/c 28-3-59								Raipur				5	5								
Bangalore					4	Surguja					10	2								
Kolar					4	1	..	Balaghat				15	7	7								
Mysore					5	2	..	Raigarh					18	3								
Tumkur					3	Sagar					3								
Dharwar					30	4	..	TOTAL				20	12	120	13							
South Kanara					15	3	..	Rajasthan																
TOTAL					61	10	..	w/c 14-2-59																
Madhya Pradesh								Jhunjhunu					34	7								
w/c 28-2-59								Sikar					2								
Balaghat					27	2	..	Alwar					27	13								
Surguja					48	6	..	Jodhpur					31	11								
Chindwara					51	17	..	Nagpur					6	4								
Raigarh					10	Sirohi					13	3								
TOTAL					136	25	..	Bikaner					3	2								
w/c 7-3-59								Kotah					16	2								
Raisen					19	6	..	Bundi					7	2								
Raigarh					26	1	..	Churu					2	2								
Hoshangabad					2	TOTAL					141	46								
Chindwara					22	5	..	w/c 21-2-59																
Balaghat					8	1	..	Jaipur					1								
TOTAL					77	13	..	Jhunjhunu					35	8								
w/c 14-3-59								Alwar					3	2								
Balaghat					20	Nagpur					3	1								
Chindwara					26	2	..	Sirohi					15	4								
Seoni					9	Bhilwara					5								
								Bikaner					2	1								

Explanation of Symbols used:—C=Cases; D=Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th April, 1959—*concl'd.*

CHOLERA								SMALLPOX				PLAGUE				CHOLERA								SMALLPOX				PLAGUE																																																																																																																																																							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.																																																																																																																																															
Rajasthan—contd.																Rajasthan—contd.																																																																																																																																																																			
w/e 28-2-59																w/e 14-3-59																																																																																																																																																																			
Ganganagar	1	Jaipur	3	Kotah	9	Sawai Madhopur	6	Sawai Madhopur	2	Alwar	38	18	Chittor	1	1	Jodhpur	2	Kotah	23	11	Churu	13	TOTAL	85	29																																																																					
w/e 28-2-59																w/e 21-3-59																																																																																																																																																																			
Jaipur	1	Jaipur	7	1	Jhunjhunu	19	2	Alwar	68	26	TOTAL	75	27	Sirohi	2	Churu	2	9	Jhalawar	2	TOTAL	28	11	Barmer	2	Jhunjhunu	9	2	Sikar	34	1	Alwar	15	10	Bikaner	2	Ganganagar	1	Udaipur	2	Barmer	3	TOTAL	66	13
w/e 7-3-59																w/e 28-3-59																																																																																																																																																																			
Jhunjhunu	9	2	Jhunjhunu	36	6	Sikar	23	8	Alwar	4	2	Jodhpur	7	Bikaner	1	Bundi	3	Jaipur	1	Chittor	7	1	TOTAL	82	17																																																																															
REMARKS																																																																																																																																																																																			
Smallpox:—Heavy incidence was reported from Sundergarh, Bolangir and Kalahandi District of Orissa State. Heavy incidence was also reported from Bareilly district of Utter pradesh.																																																																																																																																																																																			

Smallpox:—Heavy incidence was reported from Sundergarh, Bolangir and Kalahandi District of Orissa State. Heavy incidence was also reported from Bareilly district of Uttar Pradesh.

Explanation of Symbols used : —C. = Cases ; D. = Deaths ..

NEW DELHI-2 (INDIA); }
The 4th May, 1959 }

A. S. R. SHARMA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES		Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES		4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS		2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES		
Issue Prices : Rs. 3,325/-, Rs. 6,650/-, Rs. 13,300/-, & Rs. 26,600/-		Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.
YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX		
For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.		INVEST IN INDIA'S FUTURE

DA-58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th April, 1959—contd.

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Andhra Pradesh													
Adoni†													
Anantpur . . .	44	19	22.5	1	1	2	..	15	17.7	2
Anakapalli . . .	52	20	20.0	2	1	1	..	10	10.0	3
Bhimavaram . . .	43	22	26.6	5	6.0	1
Chirala . . .	50	17	17.7	2	1	1	..	15	15.6	2
Chittoor†													
Cuddapah . . .	47	41	45.3	1	6	6.6	1
Ellore . . .	112	41	19.0	1	10	4.6	..
Gudivada . . .	41	12	15.2	1	3	3.8	..
Guntur . . .	175	70	20.8	7	1	6	1	48	14.2	9
Guntakal†													
Kakinada . . .	127	45	18.4	6	1	4	..	26	10.6	7
Kurnool†													
Masulipatnam . . .	98	24	12.7	1	..	4	..	16	8.5	4
Nandyal . . .	41	22	27.9	2	..	10	12.7	..
Nellore . . .	111	72	33.7	2	3	2	..	25	11.7	7
Proddutur . . .	47	34	37.6	1	1	1	1	9	9.9	2
Rajahmundry . . .	140	26	9.6	2	3	1.1	..
Tenali . . .	78	36	24.0	..	1	..	1	..	1	..	8	5.3	1
Vijayawada . . .	271	58	11.1	..	2	..	5	..	3	..	35	6.7	6
Visakhapatnam . . .	155	55	18.4	10	..	5	..	31	10.4	6
Vizianagaram . . .	83	26	16.3	1	2	2	..	29	18.2	7
Hyderabad . . .	1,302	162	6.5	31	10	..	1	107	4.3	2
Warrangal†													
Nizamabad . . .	85	12	7.3	3	..	2	1	7	4.3	..
Kothagudlam†													
Secunderabad . . .	195	107	28.6	4	..	10	..	46	12.3	12
TOTAL	3,297	921	27.9	..	3	..	82	21	47	4	464	14.1	72
Assam				"N.R."									
Bihar				"N.R."									
Bombay				"N.R."									
Delhi				"N.R."									
Kerala				"N.R."									
Madhya Pradesh				"N.R."									
Madras													
Ambur . . .	48	36	39.0	1	1	1	..	8	8.7	3
Arripukottai . . .	64	24	19.5	3	2	4	..	13	10.6	..
Bodinayakanur . . .	43	22	26.6	2	2	..	8	9.7	5
Chidambaram . . .	44	21	24.8	1	..	5	5.9	1
Coimbatore . . .	279	329	61.3	..	9	21	31	3	126	23.5	45
Cuddalore . . .	77	55	37.1	12	8.1	3
Dindigul . . .	103	85	42.9	7	..	2	..	29	14.6	8
Erode . . .	79	16	10.5	1	4	..	10	6.6	..
Gobichetipalayam . . .	51	8	8.2	1	1	6	6.1	..
Gudiyattam . . .	60	49	42.5	1	3	..	16	13.9	7
Kancheepuram . . .	94	58	32.1	1	2	6	..	22	12.2	6
Karaikudi . . .	49	24	25.5	3	11	11.7	2
Karur . . .	60	41	35.5	2	..	1	..	10	8.7	..
Kumbakonam . . .	119	93	40.6	..	2	..	1	1	3	1	33	14.4	4
Madras City . . .	2,110	657	16.2	..	15	..	71	50	115	1	481	11.9	114

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (Included in total deaths); .. = Nil Information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th April, 1959—*contd.*

Towns	Mid.-year popn. Est. (000)	Deaths from 1—										Total	D.R.*	I.D.
		B.	B.R.*	C	S.	P.	F.	D.D.	R.D	M.D.				
Madras—contd.														
Madurai . . .	510	313	31.9	7	3	14	2	108	11.0	22	
Mayuram . . .	55	42	39.7	3	2.0	..	
Maliapalayam . . .	44	16	18.9	1	..	1	..	4	4.7	..	
Nagapattinam . . .	62	48	40.3	2	..	1	1	10	8.4	3	
Nagercoil . . .	113	72	33.1	1	1	..	8	3.7	4	
Ootacamund . . .	54	28	27.0	1	2	1	15	14.4	3	
Palni . . .	46	26	29.4	1	7	7.9	1	
Palayamkottai . . .	50	63	65.5	2	2	..	3	25	26.0	5	
Periyakulam . . .	36	18	26.0	2	1	..	7	10.1	1	
Pollachi . . .	63	45	37.1	2	..	1	..	13	10.7	2	
Pudukottai . . .	56	58	53.9	2	..	1	1	14	13.0	3	
Rajapalayam . . .	77	29	19.6	1	2	..	8	5.4	2	
Salem . . .	293	160	28.4	3	5	16	1	62	11.0	9	
Sriangam . . .	48	37	40.1	1	1	9	9.8	..	
Srivilliputtur . . .	46	20	22.6	7	7.9	3	
Tanjore . . .	138	123	46.4	2	1	4	..	32	12.1	5	
Tiruchirappalli . . .	285	167	30.5	2	2	5	2	50	9.1	6	
Tirunalveli . . .	86	47	28.4	1	..	2	..	8	4.8	1	
Tiruppur . . .	77	54	36.5	1	6	..	9	6.1	3	
Tiruvannamalai . . .	48	40	43.3	1	1	1	..	9	9.8	4	
Tuticorin . . .	124	88	36.9	2	4	..	20	8.4	5	
Vaniyambadi . . .	46	25	28.3	1	2	..	5	5.7	1	
Vellore . . .	147	123	43.5	1	8	1	51	18.0	12	
Villapuram . . .	42	30	37.1	2	..	3	3.7	..	
Virudhunagar . . .	59	38	33.5	1	1	2	..	13	11.5	..	
TOTAL . . .	5,885	3,228	28.5	..	26	..	116	108	250	18	1,290	11.4	293	
Mysore														
Bangalore . . .	1,258	518	21.4	..	1	27	54	..	199	8.2	3	
Mysore . . .	364	122	17.4	5	2	1	..	32	4.5	1	
Kolar Gold Fields . . .	183	93	26.4	..	1	..	3	1	6	..	31	8.8	1	
Bellary . . .	85	44	26.9	..	1	..	1	4	7	..	40	24.4	4	
Devangere † . . .	86	17	10.2	3	17	10.2	1	
Shimoga † . . .														
Bhadravati† . . .														
Hospet . . .	54	8	7.7	3	..	7	10.2	..	
Tumkur† . . .														
Kolar† . . .														
Chitaldrug† . . .														
Hassan† . . .														
Bidar† . . .														
Gulbarga† . . .														
Raichur † . . .														
Bijapur† . . .														
Belgaum† . . .														
Dharwar† . . .														
Bagalkot . . .	40	23	29.9	..	1	..	1	8	10.3	..	
Mangalore . . .	159	34	11.1	1	3	1.0	2	
Gadag Betegere . . .	74	62	43.5	..	1	..	18	..	3	..	41	28.8	1	
Hubli† . . .														
TOTAL . . .	2,303	921	40.0	..	5	..	32	34	74	..	378	16.4	13	
Orissa														
Behrampur . . .	84	52	32.2	4	4	2	1	20	12.4	1	
Cuttack . . .	134	116	45.2	..	5	..	11	9	12	..	57	22.2	11	
Puri . . .	57	43	39.1	1	25	22.8	3	
TOTAL . . .	2,75	211	40.1	..	5	..	16	13	14	1	102	19.4	15	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths) .. =Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th April, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from—									D.R.*	I.D.
				C.	P.	S.	D.D.	R.D.	M.D.	Total				
Pondicherry	68	82	62.7	4	3	6	3	24	18.3	16	
Punjab														
Ambala	63	36	4	..	1	..	10	8.3	1		
Amritsar	367	162	3	22	..	55	7.8	13		
Batala	68	31	2	..	3	..	8	6.1	2		
Bhiwani	60	38	33.0	..	1	..	4	3	1	17	14.8	2		
Perozepur	48	16	17.4	2	..	6	10	10.9	1		
Hissar	42	24	29.8	3	..	3	7	8.7	1		
Hoshiarpur	56	16	14.9	4	..	3	10	9.3	1		
Jullundur	240	102	22.2	7	1	4	36	7.8	10		
Karnal	87	40	24.0	5	8	4.8	2		
Ludhiana	200	78	20.3	5	..	6	23	6.0	6		
Moga	46	23	26.1	1	4	4.5	4		
Panipat	75	33	22.9	5	6	4.2	3		
Pathankot	38	31	42.5	2	..	3	8	11.0	2		
Rewari	37	17	23.9	4	..	1	6	8.5	1		
Rohtak	100	50	26.1	1	8	4.2	1		
Simla	54	47	45.4	2	1.9	..		
Sonepat	37	16	22.5	4	..	1	6	8.5	3		
Bhatinda	47	20	22.2	2	..	1	5	5.5	1		
Malerkotla	36	31	44.9	6	6	8.7	..		
Patiala†														
TOTAL	1,701	811	24.9	..	1	..	60	7	56	..	235	7.2	54	
Rajasthan														
"N.R."														
Uttar Pradesh														
Agra	414	380	47.9	2	9	58	111	14.0	45		
Allahabad	381	150	20.5	1	..	17	50	6.8	9		
Amroha	62	48	40.4	1	3	8	22	18.5	6		
Bahraich	40	21	22.3	1	..	1	3	3.2	..		
Banaras	426	250	30.6	40	7	16	134	16.4	21		
Banda†														
Barailly	206	62	15.7	8	2	7	22	5.6	4		
Basti†														
Ballia	38	15	20.6	8	11.0	..		
Bijnor	33	9	14.2	2	4	6.3	1		
Budaun	55	20	19.0	7	10	9.5	1		
Bulandshahr†														
Chandausi	45	24	27.8	3	3	2	11	12.7	7		
Dehra Dun†														
Etawah	67	32	24.9	8	1	8	29	22.6	14		
Faizabad-Ayodhya	97	25	13.4	4	1	2	9	4.8	..		
Farukhabad-Fatehgarh	79	25	16.5	2	5	3.3	2		
Firozabad	95	5	2.7	1	1	1	4	2.2	..		
Ghaziipur	36	15	21.7	6	8	11.6	..		
Ghaziabad†														
Gonda	36	7	10.1	1	2	2.9	1		
Gorakhpur	155	56	18.8	6	6	5	26	8.7	6		
Hapur	67	32	24.0	7	..	1	8	6.2	2		
Hardwar	76	28	19.2	14	..	2	19	13.0	3		
Haldwani-Cum-Kathgodam†														
Hathras	65	22	17.4	4	2	5	14	11.1	3		
Jaunpur	60	15	13.0	3	1	3	10	8.7	1		
Jhansi	135	62	23.9	13	..	2	26	10.0	7		
Kanpur	842	270	16.7	..	1	..	97	27	49	287	17.8	61		
Kaanganj	34	9	13.8	2	..	1	5	7.7	1		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 11th April, 1959—*contd.*

Towns	Mid-year. popn. Est. (ooo)		Deaths from :—										Total	D.R.*	I.D.
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd															
Khurja . . .	41	12	15.3	4	4	5.1	1	
Koil-Aligarh . . .	171	26	7.9	6	3	2	17	5.2	7	
Lucknow . . .	539	198	19.1	11	3	13	83	8.0	15	
Mathura . . .	121	45	19.4	3	1	5	13	5.6	3	
Mau-Nath Bhanjan . . .	40	26	33.9	4	5.2	2	
Meerut . . .	203	112	28.8	3	2	6	18	4.6	5	
Mirzapur-Vindhyachal†															
Moradabad . . .	166	91	28.5	2	4	9	27	8.5	9	
Muzaffarnagar . . .	83	33	20.7	4	1	1	9	5.6	2	
Pilibhit†															
Rampur . . .	188	13	3.6	2	6	1.7	..	
Saharanpur. . .	183	92	26.2	21	32	9.1	8	
Sambhal†															
Sitapur . . .	54	24	23.2	3	2.9	2	
Shajahanpur . . .	113	44	20.3	6	1	1	11	5.1	2	
Tanda†															
Najibabad†															
Hardoi†															
TOTAL . . .	5,456	2,298	22.0	..	1	..	293	78	226	9	10,54	10.1	251		

West Bengal

“N.R.”

ARREAR INFORMATION

West Bengal

w/e 4-4-59

Asansol†																
Baidyabati†																
Bally	.	.	.	76	9	6.2	5	10	6.9	4
Bankura†	.	.	.													
Bansberia†																
Baranagar†	.	.	.													
Basirhat	.	.	.	44	8	9.5	1	..	5	5.9	2
Berhampur	.	.	.	71	54	39.7	1	1	11	8.1	..
Bhadreswar	.	.	.	45	10	11.6	2	..	4	4.6	..
Bhatprara	.	.	.	152	25	8.6	..	1	..	2	..	3	..	19	6.5	6
Burdwan	.	.	.	87	15	9.0	1	2	1	10	6.0	..
Calcutta	.	.	.	2982	9,50	16.6	2	1	..	36	39	114	1	509	8.9	145
Champadani	.	.	.	41	12	15.3	1	2	..	3	3.8	..
Cooch-Behar†																
Darjeeling	.	.	.	40	12	15.6	2	..	1	..	7	9.1	..
English Bazar	.	.	.	38	57	78.0	1	1	..	5	6.9	..
Garden-Reach	.	.	.	134	17	6.6	4	2	2	..	12	4.7	2
Halisahar	.	.	.	44	3	3.6	2	2.4	..
Hooghly-Chinsura	.	.	.	64	32	26.1	2	..	9	7.3	32
Howrah	.	.	.	486	93	10.0	..	1	..	2	10	30	..	100	10.7	..
Jalpaiguri	.	.	.	57	22	20.1	1	6	5.5	..
Kamarhati†																
Kancharapara†																
Krishnagar				73	1	7
Midnapur	.	.	.	47	19	21.1	1	1	6	6.7	..
Nabadwip	.	.	.	88	26	15.4	7	8	4.7	2
Naihati	.	.	.	69	7	5.3	1	1	8	6.2	3
North Barrackpore	.	.	.	37	4	5.6	1	..	2	2.8	..
Panihati†																
Santipur†																
Sehrampur				95	31	17.0	4	..	1	..	19	10.4	4
Siliguri†																
South Dum Dum	.	.	.	114	3	1.4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th April, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
West Bengal—contd.														
South Suburban	157	12	4.0	1	..	3	1	10	3.3	3	
Titagarh	86	16	9.7	..	14	..	20	1	3	..	39	23.6	7	
Purulia†														
Budge-Budge	32	5	8.1	1	1	..	4	6.5	1	
Chandranagore†														
Kharagpur	87	5	3.0	1	.6	..	
TOTAL	5,246	1,448	14.4	3	19	..	87	58	167	3	8,09	8.0	212	
Bombay														
w/s 4-4-59														
Ahmedabad	1,001	588	41.2	..	3	..	69	6	102	..	365	25.6	58	
Ahmednagar	112	78	36.2	..	1	..	3	..	12	1	46	21.4	10	
Amalner	55	31	29.3	1	..	3	..	7	6.6	..	
Baroda	277	178	33.4	27	2	22	1	92	17.2	12	
Barsi	49	7	7.4	5	..	2	..	11	11.7	2	
Bhusawal†														
Broach	69	46	34.6	7	5.2	..	
Cambay	43	36	43.5	2	..	8	9.6	2	
Chalisgaon	39	20	26.6	7	11	14.6	6	
Dhulia	105	62	30.7	9	..	4	..	18	8.9	5	
Godhra	42	27	33.4	1	3	3.7	..	
Greater Bombay	4,344	1,651	19.8	..	10	..	5	42	121	3	743	8.9	198	
Jalgaon	91	154	88.0	8	..	6	..	29	16.6	3	
Kalyan	94	25	13.8	1	2	..	6	3.3	..	
Kolhapur	189	113	31.1	1	..	14	..	49	13.5	2	
Malegaon	77	51	34.4	11	2	2	1	22	14.9	6	
Miraj†														
Nadiad	80	46	30.4	22	34	22.4	12	
Nandurbar	39	25	33.3	1	..	1	..	8	10.7	3	
Nasik	153	99	33.6	11	3	8	..	43	14.6	9	
Narsari	54	23	22.1	..	1	..	10	16	15.4	2	
Pandharpur	48	35	37.1	6	2	6	..	20	21.7	4	
Patan	50	31	32.2	2	..	4	..	15	15.6	3	
Poona	727	354	25.3	..	9	..	4	2	34	..	162	11.5	38	
Sangli	68	45	34.4	3	..	1	..	12	9.2	1	
Satara	43	25	31.7	5	..	3	..	21	25.4	2	
Sholapur	333	223	34.6	19	4	39	..	140	21.9	23	
Surat	279	165	30.7	16	4	14	1	79	14.7	20	
Thana†														
Bhavnagar	177	106	31.1	17	5	13	..	54	15.9	15	
Dhoraji	49	28	32.8	4	7	8.2	2	
Jamnagar†														
Junagarh	67	33	25.6	6	1	5	..	26	20.1	6	
Morvi	44	16	18.9	1	1	1.2	..	
Porbander	69	38	26.2	8	1	1	..	18	16.6	3	
Gondal†														
Rajkot	219	98	23.3	..	1	..	12	..	6	..	40	9.5	11	
Veraval†														
Surendranagar	53	19	18.6	3	12	11.8	..	
Nagpur	624	24	2.0	..	3	..	15	5	12	2	138	11.5	..	
Achalpur †														
Akola†														
Chanda	46	53	59.9	6	1	1	..	19	21.5	6	
Gondia†														
Hinganghat	37	39	54.8	4	10	14.1	3	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of Symbols used :—B = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M. D. = Maternal Deaths; D.R. = Death Rate; I. D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 11th April, 1959—*contd.*

Towns	Mid-year popn. Est. (000)	B.	Deaths from										Total	D.R. *	I.D.
			B.R. *	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bombay—contd.															
Khamgaon . . .	48	25	27.1	3	5	5.4	1		
Wardha†															
Yeotmal . . .	46	28	31.7	4	..	2	..	18	20.3	1		
Kamptee†															
Amravati . . .	116	135	67.3	10	2	3	..	26	12.9	6		
Aurangabad . . .	83	9	5.6	3	..	9	5.6	1		
Lathur . . .	47	13	14.4	1	..	2	..	5	5.5	..		
Nanded . . .	98	13	6.9	7	3.7	..		
Parbhani . . .	48	4	4.3	4	4.3	..		
Jalna †															
TOTAL . . .	10,332	4,819	24.3	..	28	..	340	83	450	9	2,366	11.9	511		
Andhra Pradesh															
w/e 4-4-59															
Adoni . . .	76	36	24.66	1	1	..	8	5.48	2		
Anantpur †															
Anakapalli . . .	52	24	24.00	1	1	2	..	10	10.0	..		
Bhimavaram . . .	43	23	27.80	2	..	7	8.5	4		
Chirala . . .	50	27	28.08	3	1	15	15.6	1		
Chittoor†															
Cuddapah . . .	47	45	49.77	3	1	6	6.6	2		
Ellore . . .	112	63	29.23	5	22	10.2	2		
Gudivada . . .	41	17	21.55	3	1	9	11.4	3		
Guntur . . .	175	66	19.60	1	2	1	41	12.2	10		
Guntakal†															
Kakinada†															
Kurnool†															
Masulipatnam . . .	98	53	28.1	3	..	1	..	17	9.0	2		
Nandyal . . .	41	32	40.6	4	..	1	..	12	15.2	..		
Nellore . . .	111	71	33.2	4	2	6	2	27	12.6	6		
Proddutur . . .	47	36	39.2	1	1	..	11	12.2	2		
Rajahmundry . . .	140	31	11.50	9	3.3	..		
Tenali . . .	78	33	22.0	3	..	11	7.4	1		
Vijayawada . . .	271	89	17.1	2	1	..	9	2	3	2	53	10.2	9		
Visakhapatnam . . .	155	129	43.2	5	..	12	1	50	16.8	5		
Vizianagram . . .	83	46	28.8	4	1	2	..	28	17.5	1		
Hyderabad . . .	1,302	318	12.72	39	1	6	..	184	7.4	3		
Warrangal†															
Nizamabad†															
Kothagudiam†															
Secunderabad . . .	195	101	26.96	..	1	..	5	1	7	..	40	10.7	3		
TOTAL	3,117	1,240	20.7	2	2	..	88	22	51	6	560	9.3	59		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 11th April, 1959 relate to 129 towns from the States of Andhra Pradesh, Madras, Mysore, Orissa, Pondicherry, Punjab, and Uttar Pradesh with a population of 18,98 thousand out of a total population of 48,772 thousand

in 324 towns of the country. The number of births and deaths recorded in these towns were 8,472 and 3,547 registering birth and death rates 23.2 and 9.7 per thousand of population respectively.
The following table gives the registered rates for the different States :—

States	Current w/e 11-4-1959		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Andhra Pradesh	27.9	14.1	27.6	11.4
Madras	28.5	11.4	30.2	13.2
Mysore	40.0	16.4	27.1	23.5
Orissa	40.1	19.4	37.1	21.3
Pondicherry	62.7	18.3	53.5	18.4
Punjab	24.9	7.2	32.0	10.2
Uttar Pradesh	22.0	10.1	26.3	13.6
India	23.2	9.7	27.7	12.8

NEW DELHI-2 (INDIA); }
The 4th May, 1959. }

H. R. SHARMA,
for Registrar General, India.

